

Art. No.: 31924
New Article

Product Group : 16
Subgroup : 06

Standards :
UL 512
CSA C22.2 No. 39

Approvals :
GOST, UL (approved for feeder circuits to UL 508A up to 600 V)

Type No.: AJC 60
Duty Tariff No.: 8536 30 30

UL File Number: E230163, Category: IZLT, www.ul.com

Mechanical Data :
Width x Height x Depth (mm): 80 x 118 x 82
Weight (kg/100): 37

Connections :
box terminal :
6 - 50 mm² / AWG 10 - AWG 1
flexible cables, directly or with wire-end ferrule
Md 3,5 - 4,0 Nm / 31 - 35 lb.in.
(flexible cables of maximum cross-section may not fit when using wire-end ferrule)

Pack Size : 3

Catalog 2006 :
Page: 6/12

Accessories to Article 31924 :



31360 fuse link 35 A, time delay
600 V AC, 500 V DC




31362 fuse link 45 A, time delay
600 V AC, 500 V DC

Accessories to Article 31924 :

kein Produktbild verfügbar no picture available	31363 fuse link 50 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar no picture available	31361 fuse link 40 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar no picture available	31364 fuse link 60 A, time delay 600 V AC, 500 V DC
kein Produktbild verfügbar no picture available	31511 fuse link 35 A, fast acting 600 V AC, 300 V DC
kein Produktbild verfügbar no picture available	31512 fuse link 40 A, fast acting 600 V AC, 300 V DC
kein Produktbild verfügbar no picture available	31513 fuse link 45 A, fast acting 600 V AC, 300 V DC
kein Produktbild verfügbar no picture available	31514 fuse link 50 A, fast acting 600 V AC, 300 V DC

Wöhner reserves the right to make modifications to its components, as the result of developments and technical advances.

Accessories to Article 31924 :



31515 fuse link 60 A, fast acting
600 V AC, 300 V DC



31939 label for AES
100x 10 pcs.